

Safety data sheet

according to ChemV 2015 – SR 813.11

Printing date 19.09.2023

Version number 1

Revision: 19.09.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - **Trade name:** **BASWA One Konzentrat**
 - **Article number:** a001c, a001 nbc
 - **UFI:** 7600-6058-400W-5M14
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
 - **Application of the substance / the mixture** Acoustic coating
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
BASWA acoustic GmbH / AG
Niederkasseler Lohweg 18
40547 Düsseldorf
www.baswa.com
 - **Informing department:**
Phone: +41 41 914 02 22
E-Mail: info@baswa.com
- **1.4 Emergency telephone number:**
Swiss Toxicological Information Centre Zurich (24-hour on-call service):
Within Switzerland: 145
Worldwide: +41 44 251 51 51

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **2.2 Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
 - **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**
2-methyl-2H-isothiazol-3-one
1,2-benzisothiazol-3(2H)-one
a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)
- **Hazard statements**
H317 May cause an allergic skin reaction.
- **Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

Safety data sheet

according to ChemV 2015 – SR 813.11

Printing date 19.09.2023

Version number 1

Revision: 19.09.2023

Trade name: BASWA One Konzentrat

(Contd. from page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Please refer to further labelling elements in section 15 of this safety data sheet, if applicable.
 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· **Determination of endocrine-disrupting properties**

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of the substances listed below including additives not requiring identification.

· **Dangerous components:**

CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide ☠ Carc. 2, H351	2,5 - 10%
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one ☠ Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411; ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0,05 %	≥ 0,025 - < 0,05%
CAS: 2682-20-4 EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one ☠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ☠ Skin Corr. 1B, H314; ☠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ☠ Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0,0015 %	≥ 0,0015 - < 0,025%
CAS: 55965-84-9	a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) ☠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ☠ Skin Corr. 1B, H314; ☠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ☠ Skin Sens. 1, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1; H317: C ≥ 0,0015 %	≥ 0,00025 - < 0,0015%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

CH/EN

(Contd. on page 3)

Safety data sheet

according to ChemV 2015 – SR 813.11

Printing date 19.09.2023

Version number 1

Revision: 19.09.2023

Trade name: BASWA One Konzentrat

(Contd. from page 2)

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information**
Show this safety data sheet to the attending physician.
Personal protection for the First Aider.
Instantly remove any clothing contaminated by the product.
- **After inhalation**
Supply fresh air; consult doctor in case of symptoms.
In case of unconsciousness bring patient into stable side position for transport.
- **After skin contact**
Instantly wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact**
Use eye protection.
Keep eye lids open and rinse them with ample amounts of clean running water for at least 15 minutes.
Remove contact lenses if possible.
In case of permanent aches and pains please go and see the doctor.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture**
Inhalation of combustion gases may cause serious health hazards.
During incomplete combustion carbon monoxide can be formed.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Clear the danger zone.
Ensure adequate ventilation
Avoid contact with the product.
- **For non-emergency personnel** Evacuate personnel to safe area.
- **For emergency responders** Put on suitable personal protective equipment.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

CH/EN

(Contd. on page 4)

Safety data sheet

according to ChemV 2015 – SR 813.11

Printing date 19.09.2023

Version number 1

Revision: 19.09.2023

Trade name: **BASWA One Konzentrat**

(Contd. from page 3)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Avoid contact with eyes and skin.
- **Information about protection against explosions and fires:** No special measures required.
- **Handling**
Do not eat, drink or smoke while working.
The usual precautionary measures should be adhered to general rules for handling chemicals.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
 - **Requirements to be met by storerooms and containers:**
Store cool and dry in well sealed containers.
 - **Information about storage in one common storage facility:**
Keep away from food, drink and animal feeding stuffs.
 - **Further information about storage conditions:** Protect from frost.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
WEL: workplace exposure limit
OEL: Occupational Exposure Limit

· DNELs		
13463-67-7 titanium dioxide		
Inhalative	DNEL (worker, long-term, local)	1,25 mg/m ³ (human)
	DNEL (consumer, long-term, local)	0,21 mg/m ³ (human)
2634-33-5 1,2-benzisothiazol-3(2H)-one		
Dermal	DNEL (worker, long-term, systemic)	0,966 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	0,345 mg/kg bw/day (human)
Inhalative	DNEL (worker, long-term, systemic)	6,81 mg/m ³ (human)
	DNEL (consumer, long-term, systemic)	1,2 mg/m ³ (human)
2682-20-4 2-methyl-2H-isothiazol-3-one		
Oral	DNEL (consumer, short-term, systemic)	0,053 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	0,027 mg/kg bw/day (human)
Inhalative	DNEL (worker, short-term, local)	0,043 mg/m ³ (human)
	DNEL (worker, long-term, local)	0,021 mg/m ³ (human)
	DNEL (consumer, short-term, local)	0,043 mg/m ³ (human)
	DNEL (consumer, long-term, local)	0,021 mg/m ³ (human)
55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)		
Oral	DNEL (consumer, short-term, systemic)	0,11 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	0,09 mg/kg bw/day (human)
Inhalative	DNEL (worker, short-term, local)	0,04 mg/m ³ (human)
	DNEL (worker, long-term, local)	0,02 mg/m ³ (human)
	DNEL (consumer, short-term, local)	0,04 mg/m ³ (human)
	DNEL (consumer, long-term, local)	0,02 mg/m ³ (human)

(Contd. on page 5)

CH/EN

Safety data sheet

according to ChemV 2015 – SR 813.11

Printing date 19.09.2023

Version number 1

Revision: 19.09.2023

Trade name: BASWA One Konzentrat

(Contd. from page 4)

· PNECs	
2634-33-5 1,2-benzisothiazol-3(2H)-one	
PNEC aqua (freshwater)	0,00403 mg/L (.)
PNEC aqua (marine water)	0,000403 mg/L (.)
PNEC STP - Sewage Treatment Plant	1,03 mg/L (.)
PNEC soil	3 mg/kg soil dw (.)
PNEC sediment (freshwater)	0,0499 mg/kg sedim. dw (.)
PNEC sediment (marine water)	0,00499 mg/kg sedim. dw (.)
2682-20-4 2-methyl-2H-isothiazol-3-one	
PNEC aqua (freshwater)	0,00339 mg/L (.)
PNEC aqua (marine water)	0,00339 mg/L (.)
PNEC STP - Sewage Treatment Plant	0,23 mg/L (.)
PNEC soil	0,047 mg/kg soil dw (.)
PNEC aqua (intermittent releases)	0,00339 mg/L (.)
55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)	
PNEC aqua (freshwater)	0,00339 mg/L (.)
PNEC aqua (marine water)	0,00339 mg/L (.)
PNEC STP - Sewage Treatment Plant	0,23 mg/L (.)
PNEC soil	0,01 mg/kg soil dw (.)
PNEC sediment (freshwater)	0,027 mg/kg sedim. dw (.)
PNEC sediment (marine water)	0,027 mg/kg sedim. dw (.)
PNEC aqua (intermittent releases)	0,00339 mg/L (.)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Take off all contaminated clothing immediately.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Use respiratory protection in case of insufficient ventilation or if the limit values are exceeded.

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Safety glasses

(Contd. on page 6)

CH/EN

Safety data sheet

according to ChemV 2015 – SR 813.11

Printing date 19.09.2023

Version number 1

Revision: 19.09.2023

Trade name: **BASWA One Konzentrat**

(Contd. from page 5)

· **Body protection:**

Protective work clothing.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **General Information**

· Physical state	Fluid
· Colour:	White
· Odour:	Sweetish
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and boiling range	Not determined
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	370 °C
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· SADT	
· pH at 20 °C	8,5 - 9
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic:	Not determined.
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C	0,6 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Particle characteristics	No further details.

· **9.2 Other information**

· Appearance:	
· Form:	Pasty
· Important information on protection of health and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· VOC EU	
· Water:	24,2 - 26,7 %
· Change in condition	
· Evaporation rate	Not determined.

· **Information with regard to physical hazard classes**

· Explosives	Void
· Flammable gases	Void

(Contd. on page 7)

Safety data sheet

according to ChemV 2015 – SR 813.11

Printing date 19.09.2023

Version number 1

Revision: 19.09.2023

Trade name: **BASWA One Konzentrat**

(Contd. from page 6)

· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

13463-67-7 titanium dioxide

Oral	LD50	> 5.000 mg/kg (rat) (OECD 425)
------	------	--------------------------------

2634-33-5 1,2-benzisothiazol-3(2H)-one

Oral	LD50	490 mg/kg (rat)
Dermal	LD50	> 2.000 mg/kg (rat)

2682-20-4 2-methyl-2H-isothiazol-3-one

Oral	LD50	120 mg/kg (rat)
Dermal	LD50	242 mg/kg (rat)

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

Oral	LD50	472 mg/kg (rat) (OECD 401)
Dermal	LD50	> 1.008 mg/kg (rat) (OECD 402)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet

according to ChemV 2015 – SR 813.11

Printing date 19.09.2023

Version number 1

Revision: 19.09.2023

Trade name: BASWA One Konzentrat

(Contd. from page 7)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

13463-67-7 titanium dioxide

EC50	300 - 400 mg/l/96h (Daphnia magna)
	> 100 mg/l/96h (Oncorhynchus mykiss) (OECD 203)

2634-33-5 1,2-benzisothiazol-3(2H)-one

LC50	22 mg/l /96h (Cyprinodon variegatus)
EC50	2,9 mg/l/48h (Daphnia magna)

2682-20-4 2-methyl-2H-isothiazol-3-one

LC50	0,934 mg/l /48h (Daphnia magna)
EC50	0,0695 mg/l/24h (Skeletonema costatum)

55965-84-9 a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

EC50	0,71 mg/l/48h (Daphnia magna) (OECD 202)
EC50	0,35 mg/l/96h (Raphidocelis subcapitata) (OECD 201)
LC50	1,57 mg/l/96h (Oncorhynchus mykiss) (OECD 203)

- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:** There are no data available about the preparation.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**

- **Behaviour in sewage processing plants:**

2634-33-5 1,2-benzisothiazol-3(2H)-one

EC50	12,8 mg/l/3h (activated sludge)
------	---------------------------------

- **Additional ecological information:**

- **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.
Do not allow product to reach ground water, water bodies or sewage system.
Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

Safety data sheet

according to ChemV 2015 – SR 813.11

Printing date 19.09.2023

Version number 1

Revision: 19.09.2023

Trade name: BASWA One Konzentrat

(Contd. from page 8)

The waste code numbers mentioned are recommendations based on the probable use of the product.

· European waste catalogue	
17 00 00	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 09 00	other construction and demolition wastes
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances
HP7	Carcinogenic

· **Uncleaned packagings:**

· **Recommendation:**

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings can be used for recycling.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

· **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR/RID, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR/RID, IMDG, IATA	Void
· 14.3 Transport hazard class(es) · ADR/RID, ADN, IMDG · Class	Void
· IATA · Class	Void Not Restricted.
· 14.4 Packing group · ADR/RID, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII**

Taking into account the intended use as indicated in Section 1, the relevant entries from Annex XVII are executed.

(Contd. on page 10)

Safety data sheet

according to ChemV 2015 – SR 813.11

Printing date 19.09.2023

Version number 1

Revision: 19.09.2023

Trade name: BASWA One Konzentrat

(Contd. from page 9)

Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations**

· **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is contained.

· **VOCV (CH)** 0,00 %

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This safety data sheet meets the requirements of Regulation (EU) 2015/830 and 2020/878 amending Annex II of Regulation (EC) 1907/2006.

· **Relevant phrases**

The phrases specified here are no labelling elements for the product but repeat the properties of the ingredients from section 3.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

· **Department issuing data specification sheet:**



This Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,
phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

(Contd. on page 11)

CH/EN

Safety data sheet
according to ChemV 2015 – SR 813.11

Printing date 19.09.2023

Version number 1

Revision: 19.09.2023

Trade name: BASWA One Konzentrat

(Contd. from page 10)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Carc. 2: Carcinogenicity – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

CH/EN