



**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Version: 4(replaces version 3 of 18/05/2017)
Revised on: 22/10/2019
Printed on: 22/10/2019
Page 1 of 14

Trade Name: **BASWA Fine**
Product no.: a006

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Commercial name: BASWA Fine

Synthetic resin plaster on a water basis (solvent-free)

Substance identity who contribute to the mixture classification: 2-methylisothiazol-3(2H)-one

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Preparation of acoustically effective wall and ceiling coatings

Uses advised against: No uses advised against detected, as long as the Safety Data Sheet are followed.

1.3 Details of the supplier of the safety data sheet:

BASWA acoustic AG
Street / p.o. box : Marmorweg 10
National code/post code/location: CH-6283 Baldegg / Switzerland
Telephone: +41 41 914 02 22
Fax: +41 41 914 02 20
E-Mail: info@baswa.com

Contact point for technical information:

BASWA *acoustic* AG
E-mail: msds@baswa.com, telephone: +41 41 914 02 11

1.4 Emergency telephone number:

Swiss Toxicological Information Centre Zurich (24-h service): Switzerland: 145
Worldwide: + 41 44 251 51 51

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008: GHS (Global harmonized System):

Skin Sens. 1A, H317

Full text of hazard statements mentioned is indicated in section 16.

2.2 Label elements:

According to Regulation (EC) No 1272/2008, GHS (Global harmonized System):

Hazard Pictograms:

**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fine**
Product no.: a006

Version: 4(replaces version 3 of 18/05/2017)
Revised on: 22/10/2019
Printed on: 22/10/2019
Page 2 of 14



Signal word: Warning

Hazard statement(s):

H317: May cause an allergic skin reaction.

Precautionary Statement(s):

P261: Avoid breathing dust/fume/ gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves /protective clothing/eye protection/face protection/hearing protection/...

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

Composition:

Contains: 2-methylisothiazol-3(2H)-one

2.3 Other hazards:

Results on PBT and mPmB valuations: This mixture does not meet the criteria for PBT in accordance with regulation (EC) No 1907/2006, Annex XIII.

This mixture does not meet the criteria for mPmB in accordance with regulation (EC) No 1907/2006, Annex XIII.

SECTION 3. FIRST AID MEASURES:

3.1 Substances:

Not applicable

3.2 Mixtures:

3.2.1 Chemical Characterization:

Preparation on the basis of polymeric binding agents (aqueous dispersion of acrylate) with mineral fillers (limestone, marble) and diverse organic and inorganic additives.

3.2.2 Substances that make up the mixture and represent a danger to health or the environment according to the Regulation (EC) No. 1272/2008, are classified as PBT / vPvB or included in the Candidate List:



**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Version: 4(replaces version 3 of 18/05/2017)
Revised on: 22/10/2019
Printed on: 22/10/2019
Page 3 of 14

Trade Name: **BASWA Fine**
Product no.: a006

| Indicators | International Chemical Identification | Concentration | Classification - Regulation (EC) No 1272/2008 (CLP) | Specific Concentration limits, M-Factors |
|--|---------------------------------------|---------------|--|---|
| CAS No: 2682-20-4 CE No: 220-239-6 INDEX No: 613-326-00-9 REACH No: - | 2-methylisothiazol-3(2H)-one | <0,01% | Acute Tox. 2, H330 Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 | Skin Sens. 1A; H317: C ≥ 0,0015 % M = 10 M (Chronic)= 1 |

3.2.3 Components subject to occupational exposure limits:

| Indicators | International Chemical Identification | Concentration |
|---|---------------------------------------|---------------|
| CAS No: 1317-65-3 CE No: 215-279-6 INDEX No: - REACH No: - | Limestone (calcium carbonate) | <85% |
| CAS No: 471-34-1 CE No: 207-439-9 INDEX No: - REACH No: - | Calcium carbonate | <2% |
| CAS No: 13463-67-7 CE No: 236-675-5 INDEX No:- REACH No: 01-2119489379-17-0013 | Titanium dioxide | ≤0,7% |
| CAS No: 9004-34-6 CE No: 232-674-9 INDEX No: - REACH No: - | Cellulose | <0,01% |

Full text of hazard statements mentioned is indicated in section 16.
Components with workplace control parameters: See section 8.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures:

Following contact with eyes:

Following contact with eyes flush copiously with water. Keep eyelids open for at least 10 minutes and flush. Consult a physician.

Following inhalation:

After accidental inhalation of vapours and decomposition products bring patient into the fresh air

After skin contact:

Wash off copiously with soap and water. In case of enduring skin irritation consult a medical specialist.



**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fine**
Product no.: a006

Version: 4(replaces version 3 of 18/05/2017)
Revised on: 22/10/2019
Printed on: 22/10/2019
Page 4 of 14

After swallowing:

Flush mouth out with water. In case of indisposition consult a physician. Granulate can lead to mechanical damage of the teeth if it remains in the mouth. Never infuse anything into the mouth of an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed:

Main symptoms and effects indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Remove any remaining solid material from the eye (limestone and marble granulate) mechanically (i.e. with a moist swab).

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing agents:

Spray water jet, dry powder, CO₂, foam

Extinguishing agents unsuitable on account of safety reasons:

None – select extinguishing agent according to the fire in the vicinity.

5.2 Special hazards arising from the substance or mixture:

During a fire poisonous combustion products can be liberated (NO_x, CO, SO₂), and acrylic monomers can be liberated, too

5.3 advice for fire-fighting:

Wear respiratory protection which is independent of the surrounding air.

5.4 Additional indications:

Do not allow fire water to get into the sewers.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

No particular measures necessary. Information concerning disposal see Section 13, in addition see also Sections 7 and 8.

6.2 Environment precaution:

Do not allow to get into sewers or watercourses.

6.3 Methods and material for containment and cleaning up:

Clear up mechanically. Use absorbing materials (sand, kieselguhr, universal binding agents, sawdust etc.)



**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fine**
Product no.: a006

Version: 4(replaces version 3 of 18/05/2017)
Revised on: 22/10/2019
Printed on: 22/10/2019
Page 5 of 14

6.4 Reference to other sections:

SECTION 8
SECTION 13
SECTION 7

6.5 Additional indications:

None

SECCIÓN 7. HANDLING AND STORAGE

7.1 Precautions for safe handling:

Information for safe handling:

If handled appropriately no special handling information is necessary.
Processing (sanding or grinding) of the dried product will cause the evolution of dust. Dust which cannot be avoided should be cleaned up at regular intervals. A vacuum aspirator and good aeration should be provided.
Wear impermeable protective gloves and avoid contact with the eyes.

Information about fire and explosion protection:

Inapplicable – product is non-inflammable. No measures are necessary.

7.2 Conditions for safe storage, including any incompatibilities:

Requirements for storage rooms and containers:

Only store in original containers. Keep containers tightly shut.

Information concerning storing together:

No measures are necessary.

Further details about storage conditions:

Product is sensitive to frost! Storage temperature + 5°C to + 49°C

Storage class:12

The product is not affected for Directive 2012/18/UE (SEVESO III).

7.3 Specific end use(s):

None

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

8.1.1 Occupational exposure limits:

**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Version: 4(replaces version 3 of 18/05/2017)

Revised on: 22/10/2019

Printed on: 22/10/2019

Page 6 of 14



Trade Name: **BASWA Fine**

Product no.: a006

| Limit value type (country of origin) | Substance name CAS no | Occupational Exposure limit value | | Source |
|---|---|--|--|----------------------|
| | | Long term | Short term | |
| AGD(D) | General Dust limit | 3mg/m ³ a 10 mg/m ³ | | TRGS 900 |
| Limit (B) | Cellulose CAS no 9004-34-6 | 10mg/m ³ | | GESTIS |
| Limit (CAN) | Cellulose CAS no 9004-34-6 | 10mg/m ³ | | GESTIS |
| Limit (F) | Cellulose CAS no 9004-34-6 | 10mg/m ³ inhalable aerosol | | GESTIS |
| Limit (E) | Cellulose CAS no 9004-34-6 | 10mg/m ³ inhalable aerosol | | GESTIS |
| Limit (CH) | Cellulose CAS no 9004-34-6 | 3mg/m ³ Breathable aerosol | | GESTIS |
| Limit (USA) | Cellulose CAS no 9004-34-6 | 15mg/m ³ Total Dust 5mg/m ³ Breathable Dust | | GESTIS |
| Limit (GB) | Cellulose CAS no 9004-34-6 | 10mg/m ³ inhalable aerosol 4mg/m ³ Breathable aerosol | 20mg/m ³ inhalable aerosol | GESTIS |
| Schweiz-SUVA | Natural calcium carbonate CASno1317-65-3 | 10mg/m ³ inhalable Dust 3mg/m ³ respirable Dust | | |
| Limit (ES) | Titanium dioxide CAS no13463-67-7 | 10mg/m ³ | | INSTH 2018 |
| MAK | Calcium carbonate CAs no 471-34-1 | 3mg/m ³ inhalable dust | | Switzerland- SUVA |

8.2 Exposure control:




8.2.1 Personal protective equipment

| | | | |
|---|--|---|-------|
| Respiratory protection: If recommended technical measures are met no individual protective equipment is necessary. | | | |
| EPI: | Filtering mask for protection against chemical products | | |
| Characteristics: | «CE» mark Category III. The mask must have a wide field of view and an anatomic shape to offer tightness |  | |
| CEN normative: | EN 136, EN 140, EN 405 | | |
| Maintenance: | Do not store in high temperatures expose places and wet environments before using. Inhalation and exhalation valves of facial adaptor must be specially controlled. | | |
| Observations: | The manufacturer's instructions regarding the use and maintenance of the equipment should be carefully read. Filters will be attached to the equipment according to risk characteristics (Particles and aerosols: P1-P2-P3, Gases and Vapors: A-B-E-K-AX), Changing as advised by the manufacturer | | |
| Hand protection: | | | |
| EPI: | Non disposable chemical resistant gloves | | |
| Characteristics: | «CE» mark Category III. Before using check a list of chemical product against which the gloves are resistant. |  | |
| CEN normative: | EN 374-1, En 374-2, EN 374-3, EN 420 | | |
| Maintenance: | A timetable for the periodic replacement of gloves should be established to ensure that they are changed before being permeated by contaminants. The use of contaminated containers can be more dangerous than the lack of use, because the contaminant can be accumulated in the material component of the glove. | | |
| Observations: | Gloves with cracks, deformation or when the external dirt might decreases its resistance must be immediately replaced | | |
| Material: | PVC (Polyvinyl chloride) | Penetration time (min.): | > 480 |
| | | material thickness (mm): | 0,3 |

**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Version: 4(replaces version 3 of 18/05/2017)
Revised on: 22/10/2019
Printed on: 22/10/2019
Page 7 of 14

Trade Name: **BASWA Fine**
Product no.: a006

| | |
|-------------------------|---|
| Eye protection: | |
| EPI: | Integral frame safety goggles. |
| Characteristics | «CE» mark Category III. Integral frame eye protector against dust,smokes,mist and vapors.  |
| CEN normative: | EN 165, EN 166, EN 167, EN 168 |
| Maintenance: | Clean daily and disinfect periodically according to manufacture advises. Use recommend in case of spill risks. |
| Observations: | Deterioration indicators: yellow coloring, scratches, cracks, etc... |
| Skin protection: | |
| EPI: | Chemical resistant clothing |
| Characteristics: | CE» mark Category III. Clothing must have a good adjustment. Protection level must be set according to test parameter called "Breaking time" (BT breaking time) which indicates the time the chemical takes to pass through the material.  |
| CEN normative: | Conservation and washing instructions must be provided by manufacturer to ensure unchanged protection |
| Maintenance: | The protective clothing design should facilitate their correct positioning and permanence without displacement, during the intended period of use, considering the environmental factors, along with the movements and postures that the user can adopt during their activity. |
| Observations: | Conservation and washing instructions must be provided by manufacturer to ensure unchanged protection |
| EPI: | chemical resistant footwear and with anti-static properties |
| Characteristics: | «CE» mark Category III. Before using check a list of chemical product against which the shoes are resistant.  |
| CEN normative: | EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO 20345 |
| Maintenance: | For correct maintenance of this kind of safety footwear it is essential to take into account the instructions specified by the manufacturer. Footwear must be replaced in the event of any signs of deterioration. |
| Observations: | Footwear must be cleaned regularly and dries when wet but without placing it too close to a heat source to avoid sudden temperature changes. |

8.2.2 Environment exposure controls:

Wash hands prior to breaks, after the end of work and prior to using sanitary installations. Fatty skin ointment is recommended for care of the skin.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

9.1.1 Appearance:

Form: paste-like
Colour: white (if not coloured)
Odour: Typical odour of aqueous acrylate dispersions.
No odour of styrene.

9.1.2 Safety-relevant Data:

**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Version: 4(replaces version 3 of 18/05/2017)

Revised on: 22/10/2019

Printed on: 22/10/2019

Page 8 of 14

Trade Name: **BASWA Fine**

Product no.: a006

| Description | Value | Method | Comments |
|--|-------------------|--|-----------------|
| pH (20 °C) | 8.0 to 8.5 | Laboratory BASWA | |
| Melting point / - range (+°C) | approx. 0°C | | as for water |
| Boiling point (°C) | approx. 100°C | | as for water |
| Ignition point (°C) | none | | non inflammable |
| Explosion hazard | none | | non inflammable |
| Lower explosion limit | none | | non inflammable |
| Upper explosion limit | none | | non inflammable |
| Ignition temperature (°C) | none | | non inflammable |
| Fire-promoting properties | none | | |
| Vapour pressure (°C) | not tested | | |
| Density (g/cm ³) | 1.4 to 1.5 | Laboratory BASWA | |
| Bulk density (kg/m ³) | | | not applicable |
| Solubility in water (g/l at 20°C) | | | not applicable |
| Partition coefficient n-octanol / water (K _{OW}) | 1.29 | Laboratory BASWA | |
| Dynamic viscosity (mPas/20 °C) | 14000 to 15000 | Viscosimeter VT2- Plus (co. Thermo) | |
| Flow time | | | not determined |
| Vapour pressure | | | not determined |
| Evaporation speed | | | not determined |
| Solvent separation test | | | not determined |
| Solvent content | | Laboratory BASWA | water |
| Conductivity | | | not determined |
| Melting point / melting range | | | not determined |
| Corrosion | | | not determined |
| Miscibility | possible | | in water |
| Gas group | | | not applicable |
| Spontaneous ignition temperature | none | | non inflammable |

9.2 Other information:

The data given in Section 9 are typical values for the product and cannot be considered as product or supply specifications.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity:

No decomposition when stored normally. See also combustion products according to Section 5.

10.2 Chemical stability:



**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Version: 4(replaces version 3 of 18/05/2017)
Revised on: 22/10/2019
Printed on: 22/10/2019
Page 9 of 14

Trade Name: **BASWA Fine**
Product no.: a006

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions:

None

10.4 Conditions to avoid:

Protect from frost and heat. See Section 7

10.5 Incompatible materials:

None

10.6 Hazardous decomposition products:

None, if stored and utilized appropriately.

SECTION 11.TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

No experimental data of the mixture relative to their toxicological properties available

a) Acute toxicity:

| Substance Acute Toxicity estimated (ATE) | |
|--|----------------------------|
| Oral ATE | >2000 mg/Kg |
| Skin ATE | >2000 mg/Kg |
| inhalation ATE | >20 mg/L |
| 2-methylisothiazol-3(2H)-one | |
| DL ₅₀ oral | >2000 mg/kg (rat, OECD423) |
| DL ₅₀ dermic | >2000 mg/kg (rat, OECD402) |
| CL ₅₀ inhalation | >20 mg/L |

b) Skin corrosion/irritation

The classification criteria are not met.

c) Serious eye damage/irritation

The classification criteria are not met.

d) Respiratory or skin sensitization

May cause an allergic skin reaction.

e) STOT-single exposure; STOT-repeated exposure

The classification criteria are not met.

f) STOT-single exposure

The classification criteria are not met.



**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fine**
Product no.: a006

Version: 4(replaces version 3 of 18/05/2017)
Revised on: 22/10/2019
Printed on: 22/10/2019
Page 10 of 14

g) Carcinogenicity

The classification criteria are not met. Product contains neither crystalline quartz nor other siliceous components. The product also does not contain any mineral fibres with carcinogenic action.

h) Germ cell mutagenicity

The classification criteria are not met.

i) Reproductive toxicity

The classification criteria are not met.

j) Aspiration hazard

The classification criteria are not met.

11.2 General remarks:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in latest version.

When used and handled according to specifications, the product does not have any harmful effect to our experience and the information provided to us.

SECTION 12.ECOLOGICAL INFORMATION

12.1 Toxicity:

No acute toxicity or long-term harmful effects from materials that are very toxic for the aquatic world.

| 2-methylisothiazol-3(2H)-one | | | | |
|---|----------------------------|-------------------------|---------------|----------------------|
| | Parameter | Species | Method | Exposure time |
| Short-term algae | CL ₅₀ =8,4 mg/l | Scenedesmus subspicatus | OECD201 | 72 hours |
| Short -term acute toxicity, , Aquatic invertebrates | CE ₅₀ =32 mg/l | <i>Dafnia Magna</i> | OECD 202 | 48 hours |

12.2 Persistence and degradability:

No details

12.3 Bioaccumulative potential:

No further information available.

12.4 Mobility in soil:

The product is dispersible in water and will probably be transported over considerable distances if it gets into watercourses.



**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fine**
Product no.: a006

Version: 4(replaces version 3 of 18/05/2017)
Revised on: 22/10/2019
Printed on: 22/10/2019
Page 11 of 14

12.5 Results of PTB and vPvB assessment:

Not applicable.

12.6 Other adverse effects:

The product contains environmentally hazardous materials.

SECTION 13.DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Disposal / Waste (Product):

After consultation with the disposal agency and the appropriate authorities and observing

the necessary technical regulations, the product can be disposed of together with domestic refuse. Smaller quantities can be landfilled together with domestic refuse.

EAK/AVV-waste key:

08 01 20 (paste-like product)
08 01 12 (hardened product)
15 01 02 (cleaned container)
08 01 20 (contaminated container)

Packaging:

Containers which have not been cleaned are to be disposed of in the same way as the preparation.

13.2 Additional indications:

Recommendation: Cleaned containers are to be brought to plastics recycling (PP).

SECTION 14.TRANSPORT INFORMATION

14.1 UN number:

Not regulated

14.2 UN proper shipping name:

Not regulated

14.3 Transport hazard class(s):

Not regulated

14.4 Packing group:

Not regulated



**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fine**
Product no.: a006

Version: 4(replaces version 3 of 18/05/2017)
Revised on: 22/10/2019
Printed on: 22/10/2019
Page 12 of 14

14.5 Environmental hazards:

Not regulated

14.6 Special precautions for user:

Not regulated

14.7 Transport in bulk according to annex II of MARPOL 73/78 and the IBC Code:

Not regulated

SECTION 15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures and modifications:

REGULATION (EU) 2016/918 OF THE COMMISSION of 19 May of 2016 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.

COMMISSION REGULATION (EU) 2018/1480 of 4 October 2018 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures and correcting Commission Regulation (EU) 2017/776

COMMISSION REGULATION (EU) 2018/669 of 16 April 2018 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.

COMMISSION REGULATION (EU) 2019/521 of 27 March 2019 amending, for the purposes of its adaptation to technical and scientific progress Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.

Regulation (EC) No 1907/2006 (REACH) OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL, of 18 December 2006, concerning the Registration, Evaluation, Authorization and Restriction of Chemicals, upgrade according to regulation (EU) 2015/830 of 28 May 2015 amending regulation (EC) No 1906/2006.

Regulation (EC) No 1907/2006, REACH Article 59 List of candidates: Not present or not present in regulated quantities.

Regulation (EC) No. 1907/2006 REACH, Annex XIV Substances subject to authorization, as amended: Not present or not present in regulated quantities.

Regulation (EC) No. 1907/2006, Annex XVII, Substances subject to restrictions applicable to the placing on the market and use: Not present or not present in regulated quantities.



**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fine**
Product no.: a006

Version: 4(replaces version 3 of 18/05/2017)
Revised on: 22/10/2019
Printed on: 22/10/2019
Page 13 of 14

SEVESO III: DIRECTIVE 2012/18 / EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances and amending and subsequently repealing Directive 96/82 / EC: Section 7

15.2 Chemical safety assessment:

None

SECTION 16. OTHER INFORMATION

16.1 Applicable safety data sheet legislation:

This SDS has been redacted according to ANNEX II-guide for the elaboration of SDS of regulation (CE) No 1907/2006 (REACH), upgrade according to regulation (EU) No 2015/830 of 28 May 2015.

16.2 Text of the H statements, which are referred to in Sections 2 and 3:

Regulation n°1272/2008 (CLP):

EUH071: Corrosive to the respiratory tract.
Eye Dam. 1: Serious eye damage. Category 1.
Skin Corr. 1B: Skin corrosion. Category 1.
Acute Tox. 2: Acute toxicity. Category 2.
Acute Tox. 3: Acute toxicity. Category 3.
Skin Sens 1A: Skin sensitization. Category 1A.
Aquatic Acute 1: Short-term aquatic toxicity (Acute). Category 1.
Aquatic Chronic 1: Long-term aquatic toxicity (Chronic). Category 1.
Eye Dam.1: Serious eye damage. Category 1.
H301: Toxic if swallowed.
H311: Toxic in contact with skin.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H330: Fatal if inhaled.
H400: Very toxic for aquatics organisms.
H410: Very toxic for aquatics organisms, lasting effects

16.3 Abbreviators and acronyms:

REACH: Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals.
CLP: European regulation on Classification, Labelling and Packaging of substances and chemical mixtures.
CE: European List of Notified Chemical Substances.
CAS: Chemical Abstracts Service (Division of the American Chemical Society).
LD50: Lethal dose, 50 percent.
LC50: Lethal concentration, 50 percent.
EC50: Median Effective Concentration.
PBT: Persistent, bioaccumulative, toxic.
mPmB: Very persistent, very bioaccumulable.
TWA: Threshold limit value.



**Safety data sheet in compliance with EC regulation no. 1907/2006
Regulation (UE) No 2015/830EC
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fine**
Product no.: a006

Version: 4(replaces version 3 of 18/05/2017)
Revised on: 22/10/2019
Printed on: 22/10/2019
Page 14 of 14

MAK: Maximale Arbeitsplatz-Konzentration.
DNEL: Derived no-effect level.
PNEC: Predicted No Effect Concentration.
IUPAC: Organic nomenclature.

16.4 Main bibliography sources:

<http://esis.jrc.ec.europa.eu>
<http://echa.europa.eu>
<http://europhrac.eu>
<http://echemportal.org>
<http://toxnet.nlm>
<http://inchem.org>
<http://epa.gov>
<http://insh.es>

16.5 Methods for information assessment:

Article 9 Regulation No1272/2008 (CLP).

The mixture classification based, in general, on methods of calculation of the substances, according to regulation (EC), No 1272/2008 See section 9 for physicochemical properties, section 11 for toxicological information and section 12 for ecological information.

16.6 Modification from previous versions:

REPLACE VERSION 3 (18/05/2017)

Update of sections 1, 2, 3, 11,12,15 and 16 of this Safety Data Sheet according to the COMMISSION REGULATION (EU) 2018/1480 of 4 October 2018.

It is advisable to carry out a basic training regarding safety and working hygiene to perform a correct handling of the product

DISCLAIMER:

The information in this Safety Data Sheet is based on sources, technical knowledge and current legislation. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with other materials or in any process, unless specified in the text. The data shown correspond to our current knowledge and are not a guarantee of properties. Recipients of our product must observe, under its responsibility, the rules and regulations.