



**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 1 of 15

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Commercial name: BASWA Fill Core

Substance identity who contribute to the mixture classification: 2-methylisothiazol-3(2H)-one

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: Preparation of acoustically effective wall and ceiling coatings.

Uses advised: No uses advised against, as long as the information on this safety data sheet are met.

1.3 Details of the supplier of the safety data sheet:

BASWA *acoustic* AG

Street/p. o. box: Marmorweg 10

National code/post code/location: CH-6283 Baldegg / Switzerland

Telephone: +41 41 914 02 22

Fax: +41 41 914 02 20

E-Mail: info@baswa.com

Contact point for technical information:

BASWA *acoustic* AG

E-mail: msds@baswa.com, telephone: +41 41 914 02 11

1.4 Emergency telephone number:

Swiss Toxicological Information Centre Zurich (24-h service): Switzerland: 145

Worldwide: + 41 44 251 51 51

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008: GHS (Global harmonized System):

Skin Sens. 1A, H317

Full text of hazard statements mentioned is indicated in section 16.

2.2 Label elements:

According to Regulation (EC) No 1272/2008, GHS (Global harmonized System):

**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 2 of 15

Hazard Pictograms:



Signal word: Warning

Hazard statement(s):

H317: May cause an allergic skin reaction.

Precautionary Statement(s):

P261: Avoid breathing dust/fume/ gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves /eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

Composition:

Contains: 2-methylisothiazol-3(2H)-one

2.3 Other hazards:

Results on PBT and mPmB valuations: This mixture does not meet the criteria for PBT in accordance with regulation (EC) No 1907/2006, Annex XIII. This mixture does not meet the criteria for mPmB in accordance with regulation (EC) No 1907/2006, Annex XIII.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances:

Not applicable

3.2 Mixtures:

Substances that make up the mixture and represent a danger to health or the environment according to the Regulation (EC) No. 1272/2008, are classified as PBT / vPvB or included in the Candidate List. Components subject to occupational exposure limits:



**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 3 of 15

Indicators	International Chemical Identification	Concentration	Classification - Regulation (EC) No 1272/2008 (CLP)	Specific Concentration limits, M-Factors
CAS No: 2682-20-4 CE No: 220-239-6 INDEX No: 613-326-00-9 REACH No: -	2-methylisothiazol-3(2H)-one	≤,01%	Acute Tox. 2, H330 Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	Skin Sens. 1A; H317: C ≥ 0,0015 % M = 10 M = 1

3.2.3 Components subject to occupational exposure limits:

Indicators	International Chemical Identification	Concentration
CAS No: 65997-17-3 CE No: 266-046-0 INDEX No: - REACH No: -	Glass, oxide, chemical	<30%
CAS No: 7631-86-1 CE No: 231-545-4 INDEX No: - REACH No: -	Silicon dioxide	<25%
CAS No: 1317-65-3 CE No: 215-279-6 INDEX No: - REACH No: -	Limestone (calcium carbonate)	<10%
CAS No: 471-34-1 CE No: 207-439-9 INDEX No: - REACH No: -	Calcium carbonate	<5%
CAS No: 7664-41-7 CE No: 231-635-3 INDEX No: 007-001-00-5 REACH No:	Ammonia, anhydrous	<1%

Full text of hazard statements mentioned is indicated in section 16.

Components with workplace control parameters: See section 8.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures:

General recommendation:

Have the product container, label or safety data sheet at hand when calling to the doctor.

Move away the affected person from the exposition source. Move person to fresh air and give him rest. Do not give anything to drink to the victim if he is unconscious.

Symptoms as consequences of intoxication may appear after exposition, in case of any doubt of direct exposition to the



**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 4 of 15

chemist product or a persistent malaise, seek medical attendance, showing the product's SDS.

Inhalation:

In case of appearing intoxication symptoms, move the affected person away from the zone of exposition, move him or her to fresh air. Seek medical attention if the symptoms persist or aggravate.

Skin contact:

Take off contaminated clothing and shoes. Rinse skin or shower the affected person if necessary, with plenty of water and neutral soap. Seek medical attention if the symptoms persist or aggravate.

Eye contact:

Rinse eye with plenty of water for at least 15 minutes. Avoid the affected person close or rub his or her eyes
In case of the affected person uses contact glasses, this must be remove as long as they are not stick to the eye, otherwise it would produce an additional damage. Seek medical attention if the symptoms persist or aggravate.

Ingestion:

Rinse mouth with water

4.2 Most important symptoms and effects, both acute and delayed:

Main symptoms and effects indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing agents:

Water, spray water mist, CO₂, foam, solid extinguishing agent

Extinguishing agents unsuitable on account of safety reasons:

None.

5.2 Special hazards arising from the substance or mixture:

As consequence of combustion or thermal decomposition reaction sub products are generated that can be highly toxic and, consequently may present a highly risk for health. (SECTION 10).

5.3 advice for fire-fighting:

Use personal protective equipment (Section 8)

Prevent fire extinguishing water from contaminating surface water or the ground water system. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.



**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 5 of 15

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment (Section 8)

6.2 Environment precaution:

Prevent entry into sewer, water courses and soil. In case of big spills or if the product contaminate lakes, rivers or sewer inform competent authorities, according to local regulation.

6.3 Methods and material for containment and cleaning up:

Prevent further leakage or spillage if safe to do so. Large spills should be collected mechanically for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers. Clean contaminated floors and objects thoroughly while observing environmental regulations. Dispose of in accordance with local regulations.

6.4 Reference to other sections:

Personal protection: SECTION 8

Waste treatment: SECTION 13

SECCIÓN 7. HANDLING AND STORAGE

7.1 Precautions for safe handling:

Advises for a safe handling:

Use Personal protective equipment. Dispose of enough air renovation and/or air extraction in working areas. Avoid eye, skin and clothes contact. Emergency eyewash and safety shower must be located at the immediate proximities. Before product handling make sure that container is clean and is the right one. Containers must be well closed and conveniently labeled

Hygiene measures:

Don't drink, eat or smoke in working areas; wash hands after every handling. Taker off contaminated clothes and protective equipment before enter an eating area.

7.2 Conditions for safe storage, including any incompatibilitie:

Store in original container. Keep in properly labelled containers. Store between 5 and 35 °C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Do not freeze.
The product is not affected for Directive 2012/18/UE (SEVESO III).



**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 6 of 15

7.3 Specific end use(s):

None.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

8.1.1 Occupational exposure limits:

IDENTIFICATION	COMPONENTS/ CONCENTRATION	OCCUPATIONALEX PUSURE LIMIT VALUE	BASIS	CONTROL PARAMETERS/ PERMISSIBLE CONCENTRATION
CAS No: - CE No: -	fiber dust	TWA		4 mg/m ³
CAS No: 7631-86-1 CE No: 231-545-4	Silicon dioxide respirable fraction	TWA	Austria, Slovenia, Hungary, Luxembourg, Switzerland	0.15 mg/m ³
			Belgium, Denmark, Estonia, Slovakia, France, Greece, Lithuania, Norway, United Kingdom, Romania, Czech Republic, Sweden	0.1 mg/m ³
			Bulgaria	0.07 mg/m ³
			Cyprus	10 mg/m ³ K/Q ¹
			Spain, Ireland	0.05 mg/m ³
			Finland	0.2 mg/m ³
			Italy, Portugal	0.025 mg/m ³
			Netherlands	0.075 mg/m ³
			Poland	0.3 mg/m ³
			USA	0.025 mg/m ³
CAS No: 1317-65-3 CE No: 215-279-6	Limestone (calcium carbonate)	MAK	Switzerland-SUVA	3mg/m ³ inhalable dust
CAS No: 471-34-1 CE No: 207-439-9	Calcium carbonate	MAK	Switzerland-SUVA	3mg/m ³ inhalable dust
CAS No: 7664-41-7 CE No: 231-635-3	Ammonia, anhydrous	TWA	GKV (Aus) VLEP/GWBB (BE) OIELV (EU) USA, IT, GR, ES	20 ppm 14 mg/m ³
		STELL		50 ppm 36 mg/m ³
		TWA	WAE (DA) TRGS 900 (DE)	20 ppm 14 mg/m ³
		STELL		40 ppm 28 mg/m ³
		TWA		10 ppm 7 mg/m ³

**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 7 of 15

		STELL	VLRP (FR)	20 ppm 14 mg/m3
		TWA	AK (HU)	14 mg/m3
		STELL		36 mg/m3
		TWA		20 ppm 14 mg/m3
		STELL		50 ppm 36 mg/m3

8.2 Exposure control:

8.2.1 Personal protective equipment:

Respiratory protection:

EPI: Filtering mask for protection against chemical products

Characteristics: «CE» mark Category III. The mask must have a wide field of view and an anatomic shape to offer tightness

CEN normative: EN 136, EN 140, EN 405

Maintenance: Do not store in high temperatures expose places and wet environments before using. Special control on inhalation and exhalation valves of facial adaptor.

Observations: Read carefully the manufacturer's instructions regarding the use and maintenance of the equipment. Filters will be attached to the equipment according to risk characteristics (Particles and aerosols: P1-P2-P3, Gases and Vapors: A-B-E-K-AX), Changing as advised by the manufacturer



Hand protection:

EPI: Non disposable chemical resistant gloves

Characteristics: «CE» mark Category III. Check a list of chemical product against which the gloves are resistant before using.

CEN normative: EN 374-1, En 374-2, EN 374-3, EN 420

Maintenance: Establish a timetable for the periodic replacement of gloves to ensure that they are changed before being permeated by contaminants. The use of contaminated containers can be more dangerous than the lack of use, because the contaminant can be accumulated in the material component of the glove.

Observations: Gloves with cracks, deformation or when the external dirt might decreases its resistance must be immediately replaced



Material: PVC (Polyvinyl chloride) Penetration time > 480 min.: material thickness (mm): 0,35

Eye protection:

EPI: Integral frame safety goggles.

Characteristics: «CE» mark Category III. Integral frame eye protector against dust, smokes, mist and vapors.

CEN normative: EN 165, EN 166, EN 167, EN 168

Maintenance: Clean daily and disinfect periodically according to manufacture advises. Use recommend in case of spill risks.

Observations: Deterioration indicators: yellow coloring, scratches, cracks, etc...



Skin protection:

EPI: Chemical resistant clothing

**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**


Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 8 of 15


Characteristics: CE» mark Category III. Clothing must have a good adjustment. Protection level must be set according to test parameter called "Breaking time" (BT breaking time) which indicates the time the chemical takes to pass through the material. 

CEN normative: Conservation and washing instructions must be provided by manufacturer to ensure unchanged protection

Maintenance: The protective clothing design should facilitate their correct positioning and permanence without displacement, during the intended period of use, considering the environmental factors, along with the movements and postures that the user can adopt during their activity.

Observations: Conservation and washing instructions must be provided by manufacturer to ensure unchanged protection

EPI: chemical resistant footwear and with anti-static properties

Characteristics: «CE» mark Category III. Check a list of chemical product against which the shoes are resistant before using. 

CEN normative: EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO 20345

Maintenance: For correct maintenance of this kind of safety footwear it is essential to take into account the instructions specified by the manufacturer. Replace footwear must be replaced in the event of any signs of deterioration.

Observations: Clean footwear regularly and dries when wet but without placing it too close to a heat source to avoid sudden temperature changes.

8.2.2 Environment exposure controls:

Take care that the room is well ventilated.

Avoid dust formation (for example cut tiles with a knife instead of with a saw).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

9.1.1 Appearance;

Form: paste-like (whipped cream after mixing)

Colour: white

Odour: Typical odour

9.1.2 Safety-relevant Data;

Description	Value	Method	Comments
pH (20 °C)			not determined
Melting point / - range (+°C)			not determined
Boiling point (°C)			not determined
Ignition point (°C)	none		non inflammable
Explosion hazard	none		non inflammable
Lower explosion limit	none		non inflammable

**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 9 of 15

Upper explosion limit	none		non inflammable
Ignition temperature (°C)			not determined
Fire-promoting properties			not determined
Vapour pressure (°C)			not determined
Density (Kg/L)	0,5-0,75	laboratory BASWA	
Bulk density (kg/m ³)			not applicable
Solubility in water (g/l at 20°C)			not applicable
Partition coefficient n-octanol / water (K _{OW})			not determined
Dynamic viscosity (mPas/20 °C)			not applicable
Flow time			not applicable
Vapour pressure			not determined
Evaporation speed			not determined
Solvent separation test			not determined
Solvent content			not determined
Conductivity			not determined
Melting point / melting range			not determined
Corrosion			not determined
Miscibility	possible		in water
Gas group			not applicable
Spontaneous ignition temperature	none		non inflammable

9.2 Other information:

No available data

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity:

The product is stable under conditions of normal temperature and pressure.

10.2 Chemical stability:

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions:

Reaction possible with: ammonium compounds, Fluor, acids.

10.4 Conditions to avoid:

Extremes of temperature and direct sunlight



**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 10 of 15

10.5 Incompatible materials:

Avoid contact with strong acids, strong bases and oxidant substances. Stable under normal conditions; the product does not change if stored in a dry area. It does not cause dangerous reactions in contact with other substances.

10.6 Hazardous decomposition products:

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

No experimental data of the mixture relative to their toxicological properties available.

a) Acute toxicity:

Substance Acute Toxicity estimated (ATE)	
Oral ATE	>2000 mg/Kg
Skin ATE	>2000 mg/Kg
inhalation ATE	>20 mg/L
2-methylisothiazol-3(2H)-one	
DL ₅₀ oral	>2000 mg/kg (rat, OECD423)
DL ₅₀ dermic	>2000 mg/kg (rat, OECD402)
CL ₅₀ inhalation	>20 mg/L

b) Skin corrosion/irritation

In case of prolonged contact with skin irritation is possible.

c) Serious eye damage/irritation

Light irritant.

d) Respiratory or skin sensitization

May cause an allergic skin reaction.

e) STOT-single exposure; STOT-repeated exposure:

The classification criteria are not met.

f) STOT-single exposure

The classification criteria are not met.

g) Carcinogenicity

The classification criteria are not met.

h) Germ cell mutagenicity

The classification criteria are not met.

**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 11 of 15

i) Reproductive toxicity

The classification criteria are not met.

j) Aspiration hazard

The classification criteria are not met.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity:

No experimental data of the mixture relative to their toxicological properties available

2-methylisothiazol-3(2H)-one				
	Parameter	Species	Method	Exposure time
Short-term algae	CL ₅₀ =8,4 mg/l	Scenedesmus subspicatus	OECD201	72 hours
Short -term acute toxicity, , Aquatic invertebrates	CE ₅₀ =32 mg/l	<i>Dafnia Magna</i>	OECD 202	48 hours

12.2 Persistence and degradability:

Due to its insolubility in water (Section 9.2) the product has no mobility.

12.3 Bioaccumulative potential:

Not applicable.

12.4 Mobility in soil

Not applicable.

12.5 Results of PTB and vPvB assessment:

Not applicable, see Section 3.2

12.6 Other adverse effects:

Unknown.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Type of waste (Regulation (EU) No 1357/2014)

Code: Unable to assign a specific code.

Type of waste: dangerous.

HP 13 "Sensitizing"



**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 12 of 15

Waste Management:

Consult to authorized waste manager the validation and elimination operation according to Annex 1 and 2 (Directive 2008/98/CE, law 22/2011). According to codes 15 01 (2014/955/EU) the container in case of contact with the product it will be managed the same way that the product himself, otherwise it will be managed as non-hazardous waste. Product disposal to the water is not advice. See section 6.2.

SECTION 14. TRANSPORT INFORMATION

14.1 UN number:

Not regulated

14.2 UN proper shipping name:

Not regulated

14.3 Transport hazard class(s):

Not regulated

14.4 Packing group

Not regulated

14.5 Environmental hazards:

Not regulated

14.6 Special precautions for user:

Not regulated

14.7 Transport in bulk according to annex II of MARPOL 73/78 and the IBC Code:

Not regulated

SECTION 15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or Mixture:

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures and modifications:

REGULATION (EU) 2016/918 OF THE COMMISSION of 19 May of 2016 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.

COMMISSION REGULATION (EU) 2018/1480 of 4 October 2018 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures and correcting Commission Regulation (EU) 2017/776



**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 13 of 15

COMMISSION REGULATION (EU) 2018/669 of 16 April 2018 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.

COMMISSION REGULATION (EU) 2019/521 of 27 March 2019 amending, for the purposes of its adaptation to technical and scientific progress Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.

Regulation (EC) No 1907/2006 (REACH) OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL, of 18 December 2006, concerning the Registration, Evaluation, Authorization and Restriction of Chemicals, upgrade according to regulation (EU) 2015/830 of 28 May 2015 amending regulation (EC) No 1906/2006.

Regulation (EC) No 1907/2006, REACH Article 59 List of candidates: Not present or not present in regulated quantities.

Regulation (EC) No. 1907/2006 REACH, Annex XIV Substances subject to authorization, as amended: Not present or not present in regulated quantities.

Regulation (EC) No. 1907/2006, Annex XVII, Substances subject to restrictions applicable to the placing on the market and use: Not present or not present in regulated quantities.

SEVESO III: DIRECTIVE 2012/18 / EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances and amending and subsequently repealing Directive 96/82 / EC: Section 7

15.2 Chemical safety assessment:

None

SECTION 16. OTHER INFORMATION

16.1 Applicable safety data sheet legislation:

This SDS has been redacted according to ANNEX II-guide for the elaboration of SDS of regulation (CE) No 1907/2006 (REACH), upgrade according to regulation (EU) No 2015/830 of 28 May 2015.

16.2 Text of the H statements, which are referred to in Sections 2 and 3:

Regulation n°1272/2008 (CLP):

EUH071: Corrosive to the respiratory tract.

Skin Corr. 1B: Skin corrosion. Category 1.

Acute Tox. 2: Acute toxicity. Category 2.

Acute Tox. 3: Acute toxicity. Category 3.

Skin Sens 1A: Skin sensitization. Category 1A.

STOT SE 3: STOT-single exposure. Category 3.

Aquatic Acute 1: Short-term aquatic toxicity (Acute). Category 1.

Aquatic Chronic 1: Long-term aquatic toxicity (Chronic). Category 1.

Eye Dam.1: Serious eye damage. Category 1.

H301: Toxic if swallowed.



**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 14 of 15

H311: Toxic in contact with skin.
H314: Causes severe skin burns and eye damage.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H330: Fatal if inhaled.
H400: Very toxic for aquatic organisms.
H410: Very toxic for aquatic organisms, lasting effects.

16.3 Abbreviators and acronyms:

REACH: Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals.
CLP: European regulation on Classification, Labelling and Packaging of substances and chemical mixtures.
CE: European List of Notified Chemical Substances.
CAS: Chemical Abstracts Service (Division of the American Chemical Society).
LD50: Lethal dose, 50 percent.
LC50: Lethal concentration, 50 percent.
EC50: Median Effective Concentration.
PBT: Persistent, bioaccumulative, toxic.
mPmB: Very persistent, very bioaccumulable.
TLV-STEL: Threshold limit value - Short-term exposure limit (15 minutes).
TLV-TWA; Threshold limit value - Time weighted average (8 hours)
DNEL: Derived no-effect level.
PNEC: Predicted No Effect Concentration.
IUPAC: Organic nomenclature.

16.4 Main bibliography sources:

<http://esis.jrc.ec.europa.eu>
<http://echa.europa.eu>
<http://europhrac.eu>
<http://echemportal.org>
<http://toxnet.nlm>
<http://inchem.org>
<http://epa.gov>
<http://insh.es>

16.5 Methods for information assessment:

Article 9 Regulation No1272/2008 (CLP).

The mixture classification based, in general, on methods of calculation of the substances, according to regulation (EC), No 1272/2008 See section 9 for physicochemical properties, section 11 for toxicological information and section 12 for ecological information.

It is advisable to carry out a basic training regarding safety and working hygiene to perform a correct handling of the product

DISCLAIMER:



**Safety data sheet in compliance with EC Regulation No 1907/2006 (Article 31)
Regulation (UE) No 2015/830
Regulation (EC) No 1272/2008/ GHS (Global Harmonized System)**

Trade Name: **BASWA Fill Core**

Product no.: a040

Version: 1

Date: 22/10/2019

Printing date: 22/10/2019

Page 15 of 15

The information in this Safety Data Sheet is based on sources, technical knowledge and current legislation. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with other materials or in any process, unless specified in the text. The data shown correspond to our current knowledge and are not a guarantee of properties. Recipients of our product must observe, under its responsibility, the rules and regulations.
