

Trade Name: BASWA CASUAL

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 1 of 15

Product No:a570, a570bc, a570nbc

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Name and/or code of the product: BASWA CASUAL.

Substance identity who contribute to the mixture classification: 2-methylisothiazol-3(2H)-one

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: acoustic spray coating based on a water-based organic binder.

Uses advised against: No uses advised against detected, as long as the Safety Data Sheet are followed.

1.3 Details of the supplier of the safety data sheet:

BASWA acoustic AG

Street / p.o. box :Marmorweg 10

National code/post code/location: CH-6283 Baldegg / Switzerland

Telephone: +41 41 914 02 22

Fax: +41 41 914 02 20 E-Mail: info@baswa.com

Contact point for technical information:

BASWA acoustic AG

E-mail: msds@baswa.com, telephone: +41 41 914 02 11

1.4 Emergency telephone number:

Swiss Toxicological Information Centre Zurich (24-h service): Switzerland: 145

Worldwide: + 41 44 251 51 51

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008: GHS (Global harmonized System):

Skin Sens. 1A, H317

Full text of hazard statements mentioned is indicated in section 16.

2.2 Label elements:

According to Regulation (EC) No 1272/2008, GHS (Global harmonized System):



Trade Name: BASWA CASUAL

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 2 of 15

Product No:a570, a570bc, a570nbc

Hazard Pictograms:



Signal word: Warning

Hazard statement(s):

H317: May cause an allergic skin reaction.

Precautionary Statement(s):

P261: Avoid breathing dust/fume/ gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves /protective clothing/eye protection/face protection/hearing protection/...

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

Composition:

Contains: 2-methylisothiazol-3(2H)-one

2.3 Other hazards:

Results on PBT and mPmB valuations: This mixture does not meet the criteria for PBT in accordance with regulation (EC) No 1907/2006, Annex XIII.

This mixture does not meet the criteria for mPmB in accordance with regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: COMPOSITION/INFORMATION ON INGREDENTS

3.1 Substances:

Not applicable

3.2 Mixtures:

3.2.1 Chemical Characterization:

Water-based organic binder.

3.2.2 Substances that make up the mixture and represent a danger to health or the environment according to the Regulation (EC) No. 1272/2008, are classified as PBT / vPvB or included in the Candidate List:



Trade Name: BASWA CASUAL

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 3 of 15

Product No:a570, a570bc, a570nbc

Indicators	International Chemical Identification	Concentration	Clasification - Regulation (EC) No 1272/2008 (CLP)	Specific Concentration limits, M-Factors
CAS No: 2682-20-4 CE No: 220-239-6 INDEX No: 613-326-00-9 REACH No: -	2-methylisothiazol-3(2H)-one	<0,01%	Acute Tox. 2, H330 Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	Skin Sens. 1A; H317: C ≥ 0,0015 % M = 10 M (Chronic)= 1

3.2.3 Components subject to occupational exposure limits:

Indicators	International Chemical Identification	Concentration
CAS No: 1344-95-2 CE No: 215-710-8 INDEX No: - REACH No: 01-2119803082-54-0000	Silicic acid, calcium salt	<45%
CAS No: 1317-65-3 CE No: 215-279-6 INDEX No: - REACH No: -	Limestone (calcium carbonate)	≤4,30%%
CAS No: 13463-67-7 CE No: 236-675-5 INDEX No- REACH No: 01-2119489379-17-0013	Titanium dioxide	≤4,3%
CAS No: 68915-31-1 CE No: 236-675-5 INDEX No: - REACH No: -	Polyphosphoric acids, sodium salts	≤0,5%
CAS No: 9032-42-2 CE No: 618-528-0 INDEX No: - REACH No: -	Methylhydroxyethylcellulose	≤0,07%
CAS No: 9004-34-6 CE No: 232-674-9 INDEX No: - REACH No: -	Cellulose	<0,01%

Full text of hazard statements mentioned is indicated in section 16. Components with workplace control parameters: See section 8.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures:

After eye contact:

Rinse immediately with plenty of water. Keep eyelids open for at least 10 minutes and flush. . Remove contact lenses, if



Trade Name: BASWA CASUAL

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 4 of 15

Product No:a570, a570bc, a570nbc

present and easy. Consult doctor in case of symptoms.

After inhalation:

After accidental inhalation of vapours, move the patient to fresh air. Consult doctor in case of symptoms.

After skin contact:

Rinse skin with plenty of soap and water. Get medical attention if skin irritation persist.

After swallowing:

Rinse mouth with water. In case of indisposition consult a physician. Do not give anything to swallow to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed:

The most important known symptoms and effects are described in the labeling (see SECTION 2.2) and/or in SECTION 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Seek for therapeutic medical and health personnel: Symptomatic treatment. In Case of an accident, call the poison control center.

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing agents:

Water spray. Dry powder. Carbon dioxide.

Extinguishing agents unsuitable on account of safety reasons:

Do not use a heavy water stream.

5.2 Special hazards arising from the substance or mixture:

Non-flammable product as it is being formulated on an aqueous base.

Hazardous combustion products: in case of fire, hazardous fumes will be present. Toxic gases (see SECTION 10).

5.3 Advice for fire-fighting:

In case of fire, wear self-contained breathing apparatus and suitable protective clothing, including gloves and eye / face protection.

5.4 Additional indications:

Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:



Trade Name: BASWA CASUAL

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 5 of 15

Product No:a570, a570bc, a570nbc

Advice for not being part of the emergency services:

Use appropriate protective equipment to prevent any contamination of skin, eyes and clothing (SECTION 8).

Advice for emergency:

Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environment precaution:

Do not allow to get into sewers or watercourses.

6.3 Methods and material for containment and cleaning up:

Absorb remaining liquid in sand or inert absorbent. Do not absorb in sawdust or other combustible absorbents. Place in an appropriate waste disposal container to be treated by an authorized waste manager (SECTION 13)

6.4 Reference to other sections:

SECTION 8 SECTION 13

6.5 Additional indications:

None.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling:

Avoid contact with skin, eyes and clothing. The emergency eyewash fountains and safety showers should be located in a close proximity. Before handling the product, be sure that the container used is clean and adequate. Do not return product or other product to the storage tank. Containers should be tightly closed and clearly labeled.

7.2 Conditions for safe storage, including any incompatibilities:

Storage of different products in a single installation:

Keep away from foodstuffs, beverages and feed. Store separately from incompatible materials (SECTION 10).

Further details about storage conditions:

Protect from heat and direct sunling.
Recommended storage temperature: 5-50°C
The product is not affected for Directive 2012/18/UE (SEVESO III).

7.3 Specific end use(s):

None.



Trade Name: BASWA CASUAL

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 6 of 15

Product No:a570, a570bc, a570nbc

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

8.1.1 Occupational exposure limits:

Limit value type (country of origin)	Substance name CASno	Occupational Exposure limit value		Source
		Long term	Short term	Source
Germany	Silicic acid, calcium salt CAS no 1344-95-2	3- 10 mg/m ³		ACGIH (2003)
Conoral	Cellulose	10mg/m³ inhalable aerosol		GESTIS
General	CAS no 9004-34-6	3mg/m³ Breathable aerosol		TRGS 900
Germany	Polyphosphoric acids, sodium salts CAS No 68915-31-1	3mg/m³ respirable Dust		TGR900 (2006)
Schweiz	Natural calciumcarbonate	10mg/m ³ inhalable Dust 3mg/m ³ respirable Dust		CH SUVA
Finland	CASno1317-65-3	10mg/m ³		FI OEL
Austria		4-10 mg/m ³		GB EH40 (2011)
Germany	Methylhydroxyethylce llulose CAS no 9032-42-2		10mg/m ³	TRGS 900 (2001)
Belgium		10mg/m ³		
Canada		10mg/m³		
Denmark		6mg/m ³ Total dust	12mg/m ³ Total dust	
France		11mg/m ³ inhalable aerosol		
Spain	Titanium dioxide	10mg/m³ inhalable aerosol		
Sweden	CAS no 13463-67-7	5mg/m³ inhalable aerosol		
Switzerland	7	3mg/m ³ fine dust		
USA	7	15mg/m ³ Total dust		
United Kingdom		10mg/m ³ inhalable aerosol 3mg/m ³ fine dust		

8.1.2 Additional exposure limits under the condition of use:

DNEL:

No data available.

PNEC:

No data available.



Trade Name: BASWA CASUAL

Product No:a570, a570bc, a570nbc

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 7 of 15

8.2 Exposure control:

Personal protective equipment 8.2.1

Respiratory protection: If recommended technical measures are met no individual protective equipment is necessary.

Filtering mask for protection against chemical products

Characteristics:

«CE» mark Category III. The mask must have a wide field of view and an

anatomic shape to offer tightness

CEN normative: EN 136, EN 140, EN 405

Maintenance: Do not store in high temperatures expose places and wet environments before using. Inhalation and

exhalation valves of facial adaptor must be specially controlled.

Observations: The manufacturer's instructions regarding the use and maintenance of the equipment should be carefully

read. Filters will be attached to the equipment according to risk characteristics (Particles and aerosols: P1-

P2-P3, Gases and Vapors: A-B-E-K-AX), Changing as advised by the manufacturer

Hand protection: If recommended technical measures are met no individual protective equipment is necessary.

EPI: Non disposable chemical resistant gloves

«CE» mark Category III. Before using check a list of chemical product Characteristics

against which the gloves are resistant.

CEN normative: EN 374-1, En 374-2, EN 374-3, EN 420

Maintenance: A timetable for the periodic replacement of gloves should be established to ensure that they are changed

> before being permeated by contaminants. The use of contaminated containers can be more dangerous than the lack of use, because the contaminant can be accumulated in the material component of the glove.

Observations: Gloves with cracks, deformation or when the external dirt might decreases its resistance must be

immediately replaced

Material: PVC (Polyvinyl chloride) | Penetration time (min.): > 480 | material thickness (mm): 0.35

Eye protection: If recommended technical measures are met no individual protective equipment is necessary.

EPI: integral frame safety goggles.

«CE» mark Category III. Integral frame eye protector against Characteristics

dust, smokes, mist and vapors.

CEN normative: EN 165, EN 166, EN 167, EN 168

Clean daily and disinfect periodically according to manufacture advises. Use recommend in case of spill Maintenance:

Observations: Deterioration indicators: yellow coloring, scratches, cracks, etc...

Skin protection: If recommended technical measures are met no individual protective equipment is necessary.

EPI: Chemical resistant clothing

CE» mark Category III. Clothing must have a good adjustment. Protection Characteristics:

> level must be set according to test parameter called "Breaking time" (BT breaking time) which indicates the time the chemical takes to pass through

the material.

CEN normative: Conservation and washing instructions must be provided by manufacturer

to ensure unchanged protection

The protective clothing design should facilitate their correct positioning and permanence without Maintenance:

displacement, during the intended period of use, considering the environmental factors, along with the

movements and postures that the user can adopt during their activity.

Observations: Conservation and washing instructions must be provided by manufacturer to ensure unchanged protection



Trade Name: **BASWA CASUAL** Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 8 of 15

Pa

Characteristics: «CE» mark Category III. Before using check a list of chemical product

chemical resistant footwear and with anti-static properties

against which the shoes are resistant.

CEN normative: EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN

ISO 20345

Product No:a570, a570bc, a570nbc

Maintenance: For correct maintenance of this kind of safety footwear it is essential to take into account the instructions

specified by the manufacturer. Footwear must be replaced in the event of any signs of deterioration.

Observations: Footwear must be cleaned regularly and dries when wet but without placing it too close to a heat source

to avoid sudden temperature changes.

8.2.2 Environment exposure controls:

Do not flush into surface water or sanitary sewer system.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Odour: odourless Colour: "several colours"

EPI:

Description	Value	Method	Comments
pH (20 ℃)	8.5 to 9.5	Laboratory BASWA	
Melting point / - range (+℃)	approx. 0℃		as for water
Boiling point (℃)	none		higher than water
Ignition point (℃)	none		non inflammable
Explosion hazard	none		non inflammable
Lower explosion limit	none		non inflammable
Upper explosion limit	none		non inflammable
Ignition temperature (℃)	none		non inflammable
Fire-promoting properties	none		
Vapour pressure (℃)	not tested		
Density (g/cm ³)	1.0 to 1.2	Laboratory BASWA	
Bulk density (kg/m ³)			not applicable
Solubility in water (g/l at 20℃)			not applicable
Partition coefficient n-octanol /			not applicable
water (K _{OW})			
Dynamic viscosity (mPas/20 ℃)	25000 to 27000	Viscosimeter VT2- Plus (co. Thermo)	
Flow time			not determined
Vapour pressure			not determined
Evaporation speed			not determined
Solvent separation test			not determined
Solvent content			not determined



Trade Name: BASWA CASUAL

Product No:a570, a570bc, a570nbc

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 9 of 15

Conductivity		not determined
Melting point / melting range		not determined
Corrosion		not determined
Miscibility	soluble	in water
Gas group		not applicable
Spontaneous ignition temperature	none	non inflammable

9.2 Other information:

None.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity:

No unknown reactivity hazard under normal conditions of storage and use.

10.2 Chemical stability:

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions:

None known hazardous reactions in this product under normal conditions of storage and use.

10.4 Conditions to avoid:

High temperatures, direct sunlight, humidity. See SECTION 7

10.5 Incompatible materials:

Strong acids. Oxidizing agent. Strong bases.

10.6 Hazardous decomposition products:

In case of fire, toxic incineration products may be released such as:

Nitrogen oxides (NOx) Carbon momoxide (COx) Sulfur dioxide (SO2) Hydrogen cyanide

styrene

acrylic monomers

SECTION 11.TOXICOLOGICAL INFORMATION



Trade Name: BASWA CASUAL

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 10 of 15

Product No:a570, a570bc, a570nbc

11.1 Information on toxicological effects:

No experimental data of the mixture relative to their toxicological properties available

a) Acute toxicity:

	Substance Acute Toxicity estimated (ATE)
Oral ATE	>2000 mg/Kg
Skin ATE	>2000 mg/Kg
inhalation ATE	>20 mg/L
	2-methylisothiazol-3(2H)-one
DL ₅₀ oral	>2000 mg/kg (rat, OECD423)
DL ₅₀ dermic	>2000 mg/kg (rat, OECD402)
CL ₅₀ inhalation	>20 mg/L

b) Skin corrosion/irritation

The classification criteria are not met.

c) Serious eye damage/irritation

The classification criteria are not met.

d) Respiratory or skin sensitization

May cause an allergic skin reaction.

e) STOT-single exposure; STOT-repeated exposure

The classification criteria are not met.

f) STOT-single exposure

The classification criteria are not met.

g) Carcinogenicity

The classification criteria are not met. Product contains neither crystalline quartz nor other siliceous components. The product also does not contain any mineral fibers with carcinogenic action.

h) Germ cell mutagenicity

The classification criteria are not met.

i) Reproductive toxicity

The classification criteria are not met.

j) Aspiration hazard

The classification criteria are not met.

SECTION 12.ECOLOGICAL INFORMATION

12.1 Toxicity:

No is available experimental data on the mixture itself concerning ecotoxicological properties.



Trade Name: BASWA CASUAL

Product No:a570, a570bc, a570nbc

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 11 of 15

2-methylisothiazol-3(2H)-one				
	Parameter	Species	Method	Exposure time
Short-term algae	CL ₅₀ =8,4 mg/l	Scenedesmus subspicatus	OECD201	72 hours
Short -term acute toxicity, , Aquatic invertebrates	CE ₅₀ =32 mg/l	Dafnia Magna	OECD 202	48 hours

12.2 Persistence and degradability:

Easily Biodegradable.

12.3 Bioaccumulative potential:

Not Bioaccumulable.

12.4 Mobility in soil:

No data available.

12.5 Results of PBT and vPvB assessment:

PBT material(s): not applicable. vPvB material(s): not applicable.

12.6 Other adverse effets:

No data available.

SECTION 13.DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Disposal of product / packaging:

This product is not classified as a hazardous waste.

Relevant information for the treatment of waste:

Consult a licensed waste recovery operations and disposal in accordance with Annex 1 and Annex 2 (Directive 2008/98 / EC). If the container has been in direct contact with the product will be handled the same way as the product itself, otherwise it will be managed as hazardous waste. In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) community or state provisions related to waste management are collected.

Other recommendations on elimination:

Suitable cleaning agents:

Water, if necessary as a cleaning agent.



Trade Name: BASWA CASUAL

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 12 of 15

Product No:a570, a570bc, a570nbc

SECTION 14.TRANSPORT INFORMATION			
14.1	UN number:		
Not regulated			
14.2	UN proper shipping name:		
Not regulated			
14.3	Transport hazard class(s):		
Not regulated			
14.4	Packing group:		
Not regulated			
14.5	Environmental hazards:		
Not regulated			
14.6	Special precautions for user:		
Not regulated			
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:		

SECTION 15 REGULATORY INFORMATION

Not regulated

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures and modifications:
 - REGULATION (EU) 2016/918 OF THE COMMISION of 19 may of 2016 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.
 - COMMISSION REGULATION (EU) 2018/1480 of 4 October 2018 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures and correcting Commission Regulation (EU) 2017/776
 - COMMISSION REGULATION (EU) 2018/669 of 16 April 2018 amending, for the purposes of its adaptation to technical
 and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification,
 labelling and packaging of substances and mixtures.



Trade Name: BASWA CASUAL

Version: 1(replaces version 0 of 13/04/2016) Emision on: 22/10/2019

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 13 of 15

Product No:a570, a570bc, a570nbc

- COMMISSION REGULATION (EU) 2019/521 of 27 March 2019 amending, for the purposes of its adaptation to technical and scientific progress Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.
- Regulation (EC) N₀ 1907/2006 (REACH) OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL, of 18 December 2006, concerning the Registration, Evaluation, Authorization and Restriction of Chemicals, upgrade according to regulation (EU) 2015/830 of 28 May 2015 amending regulation (EC) No 1906/2006.
 - Regulation (EC) No 1907/2006, REACH Article 59 List of candidates: Not present or not present in regulated quantities.
 - Regulation (EC) No. 1907/2006 REACH, Annex XIV Substances subject to authorization, as amended: Not present or not present in regulated quantities.
 - Regulation (EC) No. 1907/2006, Annex XVII, Substances subject to restrictions applicable to the placing on the market and use: Not present or not present in regulated quantities.
 - SEVESO III: DIRECTIVE 2012/18 / EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the
 control of major-accident hazards involving dangerous substances and amending and subsequently repealing Directive 96/82 /
 EC: Section 7

15.2 Chemical safety assessment:

None

SECTION 16. OTHER INFORMATION

16.1 Applicable safety data sheet legislation:

This SDS has been redacted according to ANNEX II-guide for the elaboration of SDS of regulation (CE) No 1907/2006 (REACH), upgrade according to regulation (EU) No 2015/830 of 28 May 2015.

16.2 Text of the H statements, which are referred to in Sections 2 and 3:

Regulation nº1272/2008 (CLP):

EUH071: Corrosive to the respiratory tract.

Eye Dam. 1: Serious eye damage. Category 1.

Skin Corr. 1B: Skin corrosion. Category 1.

Acute Tox. 2: Acute toxicity. Category 2.

Acute Tox. 3: Acute toxicity. Category 3.

Skin Sens 1A: Skin sensitization, Category 1A.

Aquatic Acute 1: Short-term aquatic toxicity (Acute). Category 1.

Aquatic Chronic 1: Long-term aquatic toxicity (Chronic). Category 1.

Eye Dam.1: Serious eye damage. Category 1.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H330: Fatal if inhaled.



Trade Name: BASWA CASUAL

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 14 of 15

Product No:a570, a570bc, a570nbc

H400: Very toxic for aquatics organisms.

H410: Very toxic for aquatics organisms, lasting effects.

16.3 Abbreviators and acronyms:

REACH: Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals.

CLP: European regulation on Classification, Labelling and Packaging of substances and chemical mixtures.

CE: European List of Notified Chemical Substances.

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

LD50: Lethal dose, 50 percent.

LC50: Lethal concentration, 50 percent. EC50: Median Effective Concentration.

PBT: Persistent, bioaccumulative, toxic.

mPmB: Very persistent, very bioaccumulable.

TWA: Threshold limit value.

MAK: Maximale Arbeitsplatz-Konzentration.

DNEL: Derived no-effect level.

PNEC: Predicted No Effect Concentration.

IUPAC: Organic nomenclature.

16.4 Main bibliography sources:

http://esis.jrc.ec.europa.eu

http://echa.europa.eu

http://europhrac.eu

http://echemportal.org

http://toxnet.nlm

http://inchem.org

http://epa.gov

http://insh.es

16.5 Methods for information assessment:

Article 9 Regulation No1272/2008 (CLP).

The mixture classification based, in general, on methods of calculation of the substances, according to regulation (EC), No 1272/2008 See section 9 for physicochemical properties, section 11 for toxicological information and section 12 for ecological information.

16.6 Modification from previous versions:

REPLACE VERSION 0 (13/04/2016)

Update of sections 1, 2, 3, 11,12,15 and 16 of this Safety Data Sheet according to the COMMISSION REGULATION (EU) 2018/1480 of 4 October 2018.

It is advisable to carry out a basic training regarding safety and working hygiene to perform a correct handling of the product



Trade Name: BASWA CASUAL

Product No:a570, a570bc, a570nbc

Version: 1(replaces version 0 of 13/04/2016)

Emision on: 22/10/2019 Printed on: 22/10/2019

Page 15 of 15

DISCLAIMER:

The information in this Safety Data Sheet is based on sources, technical knowledge and current legislation. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with other materials or in any process, unless specified in the text. The data shown correspond to our current knowledge and are not a guarantee of properties.

Recipients of our product must observe, under its responsibility, the rules and regulations.